

OVERALL SCORE

56 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include homepage access and crawler policy, while AI guidance file and plain-text page access need attention. Recommended next step: publish an AI guidance file as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Recommended next step

- 1. Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.
- 2. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
- 3. Prefer valid JSON-LD and include Organization or WebSite schema.org types in valid JSON-LD for clearer AI interpretation.

Signal breakdown

Crawlability The homepage resolves, connects, returns HTTP 200 OK, exposes a canonical URL, and is not blocked by robots.txt.	Pass	20/20
Robots.txt robots.txt allows crawler access and includes Sitemap references.	Pass	15/15
llms.txt Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.	Fail	0/15

Sitemap	Pass	10/10
The sitemap.xml file is valid and contains URL entries.		
Markdown support	Fail	0/15
Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.		
Semantic HTML	Warn	5.7/10
Avoid skipped heading levels so sections progress from h1 to h2 to h3 without gaps. Add missing semantic elements: article. Add visible body copy after script and style removal so the page has at least 200 words.		
Structured data	Warn	5/10
Prefer valid JSON-LD and include Organization or WebSite schema.org types in valid JSON-LD for clearer AI interpretation.		
Content signals	Fail	0/5
Add the standard directive 'Content-Signal: ai-train=no, search=yes, ai-input=yes' to robots.txt, HTML metadata, or HTTP headers so AI systems can discover content usage preferences.		

Suggested fixes

Fix Structured data

HTML

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://www.allsubconverter.com/#organization",
      "name": "Free Subtitle Converter Online | AllSubConverter",
      "description": "Convert SRT, VTT, ASS, and LRC files locally in your browser. Free, secure, and fast subtitle converter without any server file uploads required.",
      "url": "https://www.allsubconverter.com/",
      "logo": "https://www.allsubconverter.com/apple-touch-icon.png"
    },
    {
      "@type": "WebSite",
      "@id": "https://www.allsubconverter.com/#website",
      "name": "Free Subtitle Converter Online | AllSubConverter",
      "description": "Convert SRT, VTT, ASS, and LRC files locally in your browser. Free, secure, and fast subtitle converter without any server file uploads required.",
      "url": "https://www.allsubconverter.com/",
      "publisher": {
        "@id": "https://www.allsubconverter.com/#organization"
      }
    },
    {
      "@type": "Text",
      "text": "Continued in the full scan report..."
    }
  ]
}
```

Fix Content signals

HTML

```
<meta http-equiv="Content-Signal" content="ai-train=no, search=yes, ai-input=yes" />
<meta name="content-signal" content="ai-train=no, search=yes, ai-input=yes" />
```

Full report

https://www.llmscan.dev/scan/3VZJBABKbjB_uPQaQCauc