

# LLM Scan

PUBLIC AI VISIBILITY REPORT

# www.oaki.io

Scanned Jul 7, 2026, 11:01 UTC

OVERALL SCORE

# 41 /100

Needs Work

## Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include crawler policy and sitemap, while AI guidance file and plain-text page access need attention. Recommended next step: publish an AI guidance file as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

## Recommended next step

1. Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.
2. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
3. Serve a non-empty HTML homepage with a canonical link tag that points to the preferred public URL.

## Signal breakdown

### Crawlability

Warn 10/20

Serve a non-empty HTML homepage with a canonical link tag that points to the preferred public URL.

### Robots.txt

Pass 15/15

robots.txt allows crawler access and includes Sitemap references.

### llms.txt

Fail 0/15

Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

## Sitemap

Pass 10/10

The sitemap.xml file is valid and contains URL entries.

## Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

## Semantic HTML

Warn 5.7/10

Use exactly one h1 element and move secondary section titles to h2-h6. Avoid skipped heading levels so sections progress from h1 to h2 to h3 without gaps. Add missing semantic elements: main, article.

## Structured data

Fail 0/10

Add JSON-LD structured data with Organization or WebSite schema so AI systems can identify the site owner or website entity.

## Content signals

Fail 0/5

Add the standard directive 'Content-Signal: ai-train=no, search=yes, ai-input=yes' to robots.txt, HTML metadata, or HTTP headers so AI systems can discover content usage preferences.

# Suggested fixes

## Fix Structured data

### HTML

```
<script type="application/ld+json">
{
"@context": "https://schema.org",
"@graph": [
{
"@type": "Organization",
"@id": "https://www.oaki.io/#organization",
"name": "AI job finder, resume maker, and recruiter. Meet Oaki.",
"description": "Oaki is an AI job finder that automates your job search with the best matches. Get AI optimized resumes, cover letters, and auto apply to the best jobs 24/7.",
"url": "https://www.oaki.io/",
"logo": "https://www.oaki.io/oaki.svg",
"sameAs": [
"https://www.linkedin.com/company/oaki",
"https://www.instagram.com/oaki.io",
"https://www.tiktok.com/@oaki.io"
]
},
{
"@type": "WebSite",
"@id": "https://www.oaki.io/#website",
"name": "AI job finder, resume maker, and recruiter. Meet Oaki.",
"description": "Oaki is an AI job finder that automates your job search with the best matches. Get AI optimized resumes, cover letters, and auto apply to the best jobs 24/7."
}
]
}
</script>
```

## Fix Content signals

### HTML

```
<meta http-equiv="Content-Signal" content="ai-train=no, search=yes, ai-input=yes" />
<meta name="content-signal" content="ai-train=no, search=yes, ai-input=yes" />
```

## Full report

<https://www.llmscan.dev/scan/3eJKNjjopdPTutg1Ttye2>