

LLM Scan

PUBLIC AI VISIBILITY REPORT

www.cubiee.com

Scanned Jun 23, 2026, 11:01 UTC

OVERALL SCORE

32 /100

Poor

Executive summary

This site is difficult for AI tools to read right now. The main areas needing attention are AI guidance file and plain-text page access. Recommended next step: publish an AI guidance file as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Recommended next step

1. Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.
2. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
3. Serve a non-empty HTML homepage with a canonical link tag that points to the preferred public URL.

Signal breakdown

Crawlability

Warn 10/20

Serve a non-empty HTML homepage with a canonical link tag that points to the preferred public URL.

Robots.txt

Warn 15/15

Publish /robots.txt with explicit crawler rules and Sitemap references so search and AI crawlers can discover site policy.

llms.txt

Fail 0/15

Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Sitemap

Fail 0/10

Publish a valid XML sitemap at /sitemap.xml and reference it from robots.txt so crawlers and AI systems can discover important URLs.

Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Semantic HTML

Warn 7.1/10

Avoid skipped heading levels so sections progress from h1 to h2 to h3 without gaps. Add missing semantic elements: main, article.

Structured data

Fail 0/10

Add JSON-LD structured data with Organization or WebSite schema so AI systems can identify the site owner or website entity.

Content signals

Fail 0/5

Add the standard directive 'Content-Signal: ai-train=no, search=yes, ai-input=yes' to robots.txt, HTML metadata, or HTTP headers so AI systems can discover content usage preferences.

Suggested fixes

Fix Structured data

HTML

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://www.cubiee.com/#organization",
      "name": "Cubiee - Crack the Cubicle.",
      "description": "Cubiee turns your resume into a stunning React portfolio,
scores it against any job in seconds, and hands you the exact plan to land
the role.",
      "url": "https://www.cubiee.com/",
      "logo": "https://www.cubiee.com/C.svg",
      "sameAs": [
        "https://x.com/WeAreCubiee",
        "https://www.linkedin.com/company/cubiee/?viewAsMember=true",
        "https://www.instagram.com/wearecubiee",
        "https://www.tiktok.com/@wearecubiee"
      ]
    },
    {
      "@type": "WebSite",
      "@id": "https://www.cubiee.com/#website",
      "name": "Cubiee - Crack the Cubicle.",
      "description": "Cubiee turns your resume into a stunning React portfolio,
scores it against any job in seconds, and hands you the exact plan to land
Continued in the full scan report..."
    }
  ]
}
```

Fix Content signals

HTML

```
<meta http-equiv="Content-Signal" content="ai-train=no, search=yes,
ai-input=yes" />
<meta name="content-signal" content="ai-train=no, search=yes, ai-input=yes"
/>
```

Full report

<https://www.llmscan.dev/scan/6khPVW9I1Ex6lbeqeP6Sj>