

OVERALL SCORE

51 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include sitemap and structured data, while AI guidance file and plain-text page access need attention. Recommended next step: publish an AI guidance file as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Recommended next step

- Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.
- Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
- Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.

Signal breakdown

Crawlability Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.	Warn 10/20
Robots.txt Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.	Warn 7.5/15
llms.txt Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.	Fail 0/15

Sitemap	Pass	10/10
The sitemap.xml file is valid and contains URL entries.		
Markdown support	Fail	0/15
Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.		
Semantic HTML	Warn	8.6/10
Shorten the meta description to 160 characters or fewer.		
Structured data	Pass	10/10
Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.		
Content signals	Pass	5/5
Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.		

Suggested fixes

llms.txt

MARKDOWN

Parcse - Ideas Into Software

> Looq previews Markdown, code, and archives in Quick Look. Mux auto-switches Ethernet and Wi-Fi. Ajar adds Lid Angle Sync and Keep Awake for AI agents. Tray browses Claude Code data.

This llms.txt file summarizes the public, canonical resources that AI assistants and crawlers should use to understand this site.

Site Overview

- Canonical URL: <https://parcse.com/>
- Site type: organization
- Recommended summary: Looq previews Markdown, code, and archives in Quick Look. Mux auto-switches Ethernet and Wi-Fi. Ajar adds Lid Angle Sync and Keep Awake for AI agents. Tray browses Claude Code data.

Core URLs

- [Homepage](<https://parcse.com/>): Primary public entry point and canonical site overview.
- [Looq](<https://parcse.com/loos>): Important public page discovered from the homepage navigation.
- [Mux](<https://parcse.com/mux>): Important public page discovered from the homepage navigation.
- [Ajar](<https://parcse.com/ajar>): Important public page discovered from the homepage navigation.

Continued in the full scan report...

robots.txt additions

TXT

```
# robots.txt additions
# Copy these blocks into the existing robots.txt file. Keep current rules
unless a note calls out a conflicting Disallow.

# AI crawler access
# Add explicit Allow rules for blocked AI crawlers; remove or narrow
conflicting Disallow rules if your crawler target requires precedence.
User-agent: GPTBot
Allow: /

User-agent: ChatGPT-User
Allow: /

User-agent: ClaudeBot
Allow: /

User-agent: Claude-Web
Allow: /

User-agent: PerplexityBot
Allow: /

User-agent: Google-Extended
Allow: /

# Crawl-rate guidance
Continued in the full scan report...
```

schema.json

JSON

```
{
"@context": "https://schema.org",
"@graph": [
{
"@type": "Organization",
"@id": "https://parcse.com/#organization",
"name": "Parcse - Ideas Into Software",
"description": "Looq previews Markdown, code, and archives in Quick Look.
Mux auto-switches Ethernet and Wi-Fi. Ajar adds Lid Angle Sync and Keep
Awake for AI agents. Tray browses Claude Code data.",
"url": "https://parcse.com/",
"logo": "https://parcse.com/s/apple-touch-icon.png",
"sameAs": [
"https://x.com/parcsehq",
"https://github.com/parcsehq",
"https://www.youtube.com/@parcsehq"
]
},
{
"@type": "WebSite",
"@id": "https://parcse.com/#website",
"name": "Parcse - Ideas Into Software",
"description": "Looq previews Markdown, code, and archives in Quick Look.
Mux auto-switches Ethernet and Wi-Fi. Ajar adds Lid Angle Sync and Keep
Awake for AI agents. Tray browses Claude Code data.",
"url": "https://parcse.com/"
}
]
}
Continued in the full scan report...
```

Content-Signal

TXT

Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

HTTP response header

```
'''http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
'''
```

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

HTML meta tag alternatives

Add these inside the document '`<head>`' when server headers are not

continued in the full scan report...

Full report

<https://www.llmscan.dev/scan/7ypzn9akg6riBMNvedBVb>