

OVERALL SCORE

50 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include AI guidance file and sitemap, while homepage access and crawler policy need attention. Recommended next step: remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Recommended next step

- 1. Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.
- 2. Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.
- 3. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Signal breakdown

Crawlability Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.	Fail	0/20
Robots.txt Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.	Fail	0/15
llms.txt The llms.txt file was found and includes the expected text, length, heading, and URL signals.	Pass	15/15

Sitemap	Pass	10/10
The sitemap.xml file is valid and contains URL entries.		
Markdown support	Fail	0/15
Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.		
Semantic HTML	Pass	10/10
The homepage has a valid title, meta description, heading structure, semantic landmarks, substantial body copy, and descriptive anchor text.		
Structured data	Pass	10/10
Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.		
Content signals	Pass	5/5
Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.		

Suggested fixes

llms.txt

MARKDOWN

USD to RMB Currency Calculator - Live Exchange | UsdtoWorld

> Free live USD to RMB currency calculator. Check 1 USD to RMB, 1000 USD to RMB, historical trends, and converters for INR, EUR, GBP, JPY, and more.

This llms.txt file summarizes the public, canonical resources that AI assistants and crawlers should use to understand this site.

Site Overview

- Canonical URL: <https://usdtoworld.com/>
- Site type: organization
- Recommended summary: Free live USD to RMB currency calculator. Check 1 USD to RMB, 1000 USD to RMB, historical trends, and converters for INR, EUR, GBP, JPY, and more.

Core URLs

- [Homepage](<https://usdtoworld.com/>): Primary public entry point and canonical site overview.
- [About](<https://usdtoworld.com/about>): Background information about the organization or site owner.
- [Contact](<https://usdtoworld.com/contact>): Support, help, and contact information.
- [USD to INR](<https://usdtoworld.com/usd-to-inr>): Important public page discovered from the homepage navigation.

robots.txt additions

TXT

robots.txt additions

Copy these blocks into the existing robots.txt file. Keep current rules unless a note calls out a conflicting Disallow.

AI crawler access

Add explicit Allow rules for blocked AI crawlers; remove or narrow conflicting Disallow rules if your crawler target requires precedence.

User-agent: GPTBot

Allow: /

User-agent: ClaudeBot

Allow: /

User-agent: Google-Extended

Allow: /

Crawl-rate guidance

Add Crawl-delay under a User-agent block when the site needs gentler crawler pacing.

User-agent: *

Crawl-delay: 10

schema.json

```
JSON
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://usdtoworld.com/#organization",
      "name": "USD to RMB Currency Calculator - Live Exchange | Usdtoworld",
      "description": "Free live USD to RMB currency calculator. Check 1 USD to RMB, 1000 USD to RMB, historical trends, and converters for INR, EUR, GBP, JPY, and more.",
      "url": "https://usdtoworld.com/",
      "logo": "https://usdtoworld.com/_astro/logo.Y5vYoTZ1_L7wMP.webp",
      "sameAs": [
        "https://x.com/usdtoworldkoj"
      ],
    },
    {
      "@type": "WebSite",
      "@id": "https://usdtoworld.com/#website",
      "name": "USD to RMB Currency Calculator - Live Exchange | Usdtoworld",
      "description": "Free live USD to RMB currency calculator. Check 1 USD to RMB, 1000 USD to RMB, historical trends, and converters for INR, EUR, GBP, JPY, and more.",
      "url": "https://usdtoworld.com/",
      "publisher": {
        "@id": "https://usdtoworld.com/#organization"
      }
    }
  ]
}
```

Content-Signal

```
TXT
# Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant
crawlers and AI systems. They are advisory signals, so keep them aligned
with robots.txt, terms, and access controls.

## Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response
context.

## HTTP response header

'''http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
'''

Best for site-wide or route-specific policies because the signal travels
with every response, including pages that AI systems fetch directly.

## HTML meta tag alternatives

Add these inside the document '<head>' when server headers are not
```

Full report

<https://llmscan.dev/scan/8WWpFJzpk1YsXIO0zenfa>