

OVERALL SCORE

26 /100 Poor

Executive summary

This site is difficult for AI tools to read right now. The main areas needing attention are AI guidance file and plain-text page access. Recommended next step: publish an AI guidance file as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Recommended next step

- 1. Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.
- 2. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
- 3. Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.

Signal breakdown

Crawlability	Warn	10/20
Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.		
Robots.txt	Warn	7.5/15
Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access.		
llms.txt	Fail	0/15
Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.		

Sitemap	Fail	0/10
Publish a valid XML sitemap at /sitemap.xml and reference it from robots.txt so crawlers and AI systems can discover important URLs.		
Markdown support	Fail	0/15
Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.		
Semantic HTML	Warn	8.6/10
Add missing semantic elements: article.		
Structured data	Fail	0/10
Add JSON-LD structured data with Organization or WebSite schema so AI systems can identify the site owner or website entity.		
Content signals	Fail	0/5
Add the standard directive 'Content-Signal: ai-train=no, search=yes, ai-input=yes' to robots.txt, HTML metadata, or HTTP headers so AI systems can discover content usage preferences.		

Suggested fixes

Fix Structured data

HTML

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://www.mozilla.org/#organization",
      "name": "Internet for people, not profit - Mozilla Global",
      "description": "Mozilla is the not-for-profit behind the lightning fast
Firefox browser. We put people over profit to give everyone more power
online.",
      "url": "https://www.mozilla.org/",
      "logo":
        "https://www.mozilla.org/media/img/favicons/mozilla/apple-touch-icon.05aa000
f6748.png",
      "sameAs": [
        "https://www.instagram.com/mozilla/",
        "https://www.linkedin.com/company/mozilla-corporation/",
        "https://www.tiktok.com/@mozilla",
        "https://www.instagram.com/firefox/",
        "https://www.youtube.com/user/firefoxchannel",
        "https://www.tiktok.com/@firefox"
      ]
    },
    {
      "@type": "WebSite"
    }
  ]
}
```

Fix Content signals

HTML

```
<meta http-equiv="Content-Signal" content="ai-train=no, search=yes,
ai-input=yes" />
<meta name="content-signal" content="ai-train=no, search=yes, ai-input=yes"
/>
```

Full report

<https://llmscan.dev/scan/C0WEmeEPvhMOSrI1L3VTQ>