

LLM Scan

PUBLIC AI VISIBILITY REPORT

devglobe.app

Scanned Jun 21, 2026, 11:01 UTC

OVERALL SCORE

32 /100

Poor

Executive summary

This site is difficult for AI tools to read right now. Key strengths include sitemap and structured data, while homepage access and crawler policy need attention. Recommended next step: remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Recommended next step

1. Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.
2. Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.
3. Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Signal breakdown

Crawlability

Fail 0/20

Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Robots.txt

Fail 0/15

Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.

llms.txt

Fail 0/15

Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Sitemap

Pass 10/10

The sitemap.xml file is valid and contains URL entries.

Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Semantic HTML

Warn 7.1/10

Use exactly one h1 element and move secondary section titles to h2-h6. Add missing semantic elements: article.

Structured data

Pass 10/10

Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.

Content signals

Pass 5/5

Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.

Suggested fixes

llms.txt

MARKDOWN

```
# DevGlobe - Show Up on the Globe While You Code
```

```
> Connect your IDE and show up on a real-time 3D globe. Showcase your projects to developers worldwide. Track coding stats, get noticed.
```

This llms.txt file summarizes the public, canonical resources that AI assistants and crawlers should use to understand this site.

Site Overview

- Canonical URL: <https://devglobe.app/>
- Site type: organization
- Recommended summary: Connect your IDE and show up on a real-time 3D globe. Showcase your projects to developers worldwide. Track coding stats, get noticed.

Core URLs

- [Homepage](<https://devglobe.app/>): Primary public entry point and canonical site overview.
 - [Globe](<https://devglobe.app/space>): Important public page discovered from the homepage navigation.
 - [Plugins](<https://devglobe.app/plugins>): Important public page discovered from the homepage navigation.
 - [Launch](<https://devglobe.app/launches>): Important public page discovered from the homepage navigation.
- Continued in the full scan report...

robots.txt additions

TXT

```
# robots.txt additions
# Copy these blocks into the existing robots.txt file. Keep current rules
unless a note calls out a conflicting Disallow.

# AI crawler access
# Add explicit Allow rules for blocked AI crawlers; remove or narrow
conflicting Disallow rules if your crawler target requires precedence.
User-agent: GPTBot
Allow: /

User-agent: ChatGPT-User
Allow: /

User-agent: ClaudeBot
Allow: /

User-agent: Claude-Web
Allow: /

User-agent: PerplexityBot
Allow: /

User-agent: Google-Extended
Allow: /

# Crawl-rate guidance
Continued in the full scan report...
```

schema.json

JSON

```
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://devglobe.app/#organization",
      "name": "DevGlobe - Show Up on the Globe While You Code",
      "description": "Connect your IDE and show up on a real-time 3D globe.
      Showcase your projects to developers worldwide. Track coding stats, get
      noticed.",
      "url": "https://devglobe.app/",
      "logo":
        "https://devglobe.app/apple-icon.png?apple-icon.0i6p0~tub5wj8.png?dpl=178195
        0204",
      "sameAs": [
        "https://github.com/Nako0/devglobe-extension",
        "https://github.com/Nako0/devglobe-extension/blob/main/PRIVACY.md"
      ]
    },
    {
      "@type": "WebSite",
      "@id": "https://devglobe.app/#website",
      "name": "DevGlobe - Show Up on the Globe While You Code",
      "description": "Connect your IDE and show up on a real-time 3D globe.
      Showcase your projects to developers worldwide. Track coding stats, get
      noticed."
    }
  ]
}
Continued in the full scan report...
```

Content-Signal

TXT

Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

HTTP response header

```
``http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
````
```

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

## HTML meta tag alternatives

Add these inside the document '<head>' when server headers are not  
Continued in the full scan report...

## Full report

<https://www.llmscan.dev/scan/ERlkuP1zIYpACx2xcilEL>