

LLM Scan

PUBLIC AI VISIBILITY REPORT

www.kommander.ai

Scanned Jul 4, 2026, 10:00 UTC

OVERALL SCORE

78 /100

AI-Readable

Executive summary

This site is mostly readable by AI tools, with a few improvements still recommended. Key strengths include AI guidance file and plain-text page access, while homepage access and crawler policy need attention. Recommended next step: review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.

Recommended next step

1. Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.
2. Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.
3. Shorten the meta description to 160 characters or fewer. Avoid skipped heading levels so sections progress from h1 to h2 to h3 without gaps. Add missing semantic elements: article.

Signal breakdown

Crawlability

Warn 10/20

Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.

Robots.txt

Warn 7.5/15

Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.

llms.txt

Pass 15/15

The llms.txt file was found and includes the expected text, length, heading, and URL signals.

Sitemap

Pass 10/10

The sitemap.xml file is valid and contains URL entries.

Markdown support

Pass 15/15

The homepage returns markdown content when requested with Accept: text/markdown, giving AI systems a cleaner text representation with less navigation chrome to parse.

Semantic HTML

Warn 5.7/10

Shorten the meta description to 160 characters or fewer. Avoid skipped heading levels so sections progress from h1 to h2 to h3 without gaps. Add missing semantic elements: article.

Structured data

Pass 10/10

Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.

Content signals

Pass 5/5

Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.

Suggested fixes

llms.txt

MARKDOWN

```
# Kommander.ai | AI Customer Support Chatbot | Train on Your Docs
```

```
> Kommander.ai is a grounded AI customer support agent trained on your own docs. Deploys to your website and WhatsApp Business in an afternoon. Internal channel from 50/mo, External from 150/mo, with a 14-day free trial.
```

```
This llms.txt file summarizes the public, canonical resources that AI assistants and crawlers should use to understand this site.
```

Site Overview

- Canonical URL: <https://www.kommander.ai/>
- Site type: organization
- Recommended summary: Kommander.ai is a grounded AI customer support agent trained on your own docs. Deploys to your website and WhatsApp Business in an afternoon. Internal channel from 50/mo, External from 150/mo, with a 14-day free trial.

Core URLs

- [Homepage](<https://www.kommander.ai/>): Primary public entry point and canonical site overview.
- [Product](<https://www.kommander.ai/product>): Important public page discovered from the homepage navigation.
- [Features](<https://www.kommander.ai/features>): Important public page discovered from the homepage navigation. Continued in the full scan report...

robots.txt additions

TXT

```
# robots.txt additions
# Copy these blocks into the existing robots.txt file. Keep current rules
unless a note calls out a conflicting Disallow.

# AI crawler access
# Add explicit Allow rules for blocked AI crawlers; remove or narrow
conflicting Disallow rules if your crawler target requires precedence.
User-agent: GPTBot
Allow: /

User-agent: ChatGPT-User
Allow: /

User-agent: ClaudeBot
Allow: /

User-agent: Claude-Web
Allow: /

User-agent: PerplexityBot
Allow: /

User-agent: Google-Extended
Allow: /
```

schema.json

JSON

```
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://www.kommander.ai/#organization",
      "name": "Kommander.ai | AI Customer Support Chatbot | Train on Your Docs",
      "description": "Kommander.ai is a grounded AI customer support agent trained
on your own docs. Deploys to your website and WhatsApp Business in an
afternoon. Internal channel from 50/mo, External from 150/mo, with a 14-day
free trial.",
      "url": "https://www.kommander.ai/",
      "logo":
      "https://www.kommander.ai/apple-icon.png?apple-icon.105rn0fj0bonw.png?dpl=dp
l_GFZoJWJpV3CQA3ZKKp8xJGcfu2wj"
    },
    {
      "@type": "WebSite",
      "@id": "https://www.kommander.ai/#website",
      "name": "Kommander.ai | AI Customer Support Chatbot | Train on Your Docs",
      "description": "Kommander.ai is a grounded AI customer support agent trained
on your own docs. Deploys to your website and WhatsApp Business in an
afternoon. Internal channel from 50/mo, External from 150/mo, with a 14-day
free trial.",
      "url": "https://www.kommander.ai/",
      "publisher": {
        Continued in the full scan report...
```

Content-Signal

TXT

Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

HTTP response header

```
``http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
````
```

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

## HTML meta tag alternatives

Add these inside the document '<head>' when server headers are not  
Continued in the full scan report...

## Full report

[https://www.llmscan.dev/scan/HGwePEwYH1z\\_3JI4SC9F7](https://www.llmscan.dev/scan/HGwePEwYH1z_3JI4SC9F7)