

OVERALL SCORE

63 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include AI guidance file and plain-text page access, while sitemap and homepage access need attention. Recommended next step: publish a valid XML sitemap at /sitemap.xml and reference it from the crawler policy file so crawlers and AI systems can discover important URLs.

Recommended next step

- 1. Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.
- 2. Publish a valid XML sitemap at /sitemap.xml and reference it from robots.txt so crawlers and AI systems can discover important URLs.
- 3. Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.

Signal breakdown

Crawlability Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.	Warn 10/20
Robots.txt Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.	Warn 7.5/15
llms.txt The llms.txt file was found and includes the expected text, length, heading, and URL signals.	Pass 15/15

Sitemap	Fail	0/10
Publish a valid XML sitemap at /sitemap.xml and reference it from robots.txt so crawlers and AI systems can discover important URLs.		
Markdown support	Pass	15/15
The homepage returns markdown content when requested with Accept: text/markdown, giving AI systems a cleaner text representation with less navigation chrome to parse.		
Semantic HTML	Warn	5.7/10
Add a title tag between 10 and 70 characters. Add a meta description between 50 and 160 characters. Add missing semantic elements: main, footer.		
Structured data	Warn	5/10
Prefer valid JSON-LD and include Organization or WebSite schema.org types in valid JSON-LD for clearer AI interpretation.		
Content signals	Pass	5/5
Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.		

Suggested fixes

Fix Structured data

HTML

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://www.framer.com/@soubhagya/#organization",
      "name": "Framer Community",
      "description": "Framer Web Designer & Plugin Developer @ BuildinFrame | Taking Clients",
      "url": "https://www.framer.com/@soubhagya/",
      "logo": "https://www.framer.com/creators/seo/community-install-ios-180.png",
      "sameAs": [
        "https://x.com/soubhagyaside"
      ],
    },
    {
      "@type": "WebSite",
      "@id": "https://www.framer.com/@soubhagya/#website",
      "name": "Framer Community",
      "description": "Framer Web Designer & Plugin Developer @ BuildinFrame | Taking Clients",
      "url": "https://www.framer.com/@soubhagya/",
      "publisher": {
        "@id": "https://www.framer.com/@soubhagya/#organization"
      }
    }
  ]
}
```

Continued in the full scan report...

Full report

<https://llmscan.dev/scan/IPT-vI0-PYTSa8m5qZGjh>