

LLM Scan

PUBLIC AI VISIBILITY REPORT

pxxl.app

Scanned Jun 20, 2026, 22:26 UTC

OVERALL SCORE

32 /100

Poor

Executive summary

This site is difficult for AI tools to read right now. Key strengths include sitemap and structured data, while homepage access and crawler policy need attention. Recommended next step: remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Recommended next step

1. Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.
2. Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.
3. Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Signal breakdown

Crawlability

Fail 0/20

Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Robots.txt

Fail 0/15

Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.

llms.txt

Fail 0/15

Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Sitemap

Pass 10/10

The sitemap.xml file is valid and contains URL entries.

Markdown support

Fail 0/15

Make the homepage respond successfully to requests with Accept: text/markdown, either by serving markdown directly or by adding a markdown variant URL with correct content negotiation.

Semantic HTML

Warn 7.1/10

Add exactly one h1 element that describes the page topic. Add missing semantic elements: article.

Structured data

Pass 10/10

Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.

Content signals

Pass 5/5

Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.

Suggested fixes

llms.txt

MARKDOWN

```
# Pxxl App | Best Cloud Deployment Platform for Developers
```

```
> Deploy web apps, APIs, databases, and domains on Pxxl with fast builds,
SSL, logs, Naira pricing, and African-ready infrastructure.
```

```
This llms.txt file summarizes the public, canonical resources that AI
assistants and crawlers should use to understand this site.
```

Site Overview

- Canonical URL: <https://pxxl.app/>
- Site type: organization
- Recommended summary: Deploy web apps, APIs, databases, and domains on Pxxl with fast builds, SSL, logs, Naira pricing, and African-ready infrastructure.

Core URLs

- [Homepage](<https://pxxl.app/>): Primary public entry point and canonical site overview.
- [Homepage](<https://pxxl.app/?home=1>): Important public page discovered from the homepage navigation.
- [Domain](<https://pxxl.app/domain>): Important public page discovered from the homepage navigation.
- [Pricing](<https://pxxl.app/pricing>): Pricing, plans, and packaging information.
Continued in the full scan report...

robots.txt additions

TXT

```
# robots.txt additions
# Copy these blocks into the existing robots.txt file. Keep current rules
unless a note calls out a conflicting Disallow.

# AI crawler access
# Add explicit Allow rules for blocked AI crawlers; remove or narrow
conflicting Disallow rules if your crawler target requires precedence.
User-agent: GPTBot
Allow: /

User-agent: ChatGPT-User
Allow: /

User-agent: ClaudeBot
Allow: /

User-agent: Claude-Web
Allow: /

User-agent: PerplexityBot
Allow: /

User-agent: Google-Extended
Allow: /
```

schema.json

JSON

```
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://pxxl.app/#organization",
      "name": "Pxxl App | Best Cloud Deployment Platform for Developers",
      "description": "Deploy web apps, APIs, databases, and domains on Pxxl with
fast builds, SSL, logs, Naira pricing, and African-ready infrastructure.",
      "url": "https://pxxl.app/",
      "logo": "https://pxxl.app/apple-touch-icon.png",
      "sameAs": [
        "https://www.facebook.com/pxxlspace",
        "https://www.instagram.com/pxxl_space",
        "https://www.tiktok.com/@pxxl_space",
        "https://x.com/pxxl_space"
      ]
    },
    {
      "@type": "WebSite",
      "@id": "https://pxxl.app/#website",
      "name": "Pxxl App | Best Cloud Deployment Platform for Developers",
      "description": "Deploy web apps, APIs, databases, and domains on Pxxl with
fast builds, SSL, logs, Naira pricing, and African-ready infrastructure.",
      "url": "https://pxxl.app/",
      "publisher": {
        Continued in the full scan report...
```

Content-Signal

TXT

Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

HTTP response header

```
``http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
````
```

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

## HTML meta tag alternatives

Add these inside the document '<head>' when server headers are not  
Continued in the full scan report...

## Full report

[https://www.llmscan.dev/scan/K7wigk7zs\\_reJp7Pyfm6m](https://www.llmscan.dev/scan/K7wigk7zs_reJp7Pyfm6m)