

OVERALL SCORE

35 /100 Poor

Executive summary

This site is difficult for AI tools to read right now. Key strengths include sitemap, while AI guidance file and plain-text page access need attention. Recommended next step: publish an AI guidance file as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Recommended next step

- 1. Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.
- 2. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
- 3. Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.

Signal breakdown

Crawlability	Warn	10/20
Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.		
Robots.txt	Warn	7.5/15
Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access.		
llms.txt	Fail	0/15
Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.		

Sitemap	Pass	10/10
The sitemap.xml file is valid and contains URL entries.		
Markdown support	Fail	0/15
Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.		
Semantic HTML	Warn	7.1/10
Expand the meta description to at least 50 characters. Add missing semantic elements: article.		
Structured data	Fail	0/10
Add JSON-LD structured data with Organization or WebSite schema so AI systems can identify the site owner or website entity.		
Content signals	Fail	0/5
Add the standard directive 'Content-Signal: ai-train=no, search=yes, ai-input=yes' to robots.txt, HTML metadata, or HTTP headers so AI systems can discover content usage preferences.		

Suggested fixes

Fix Structured data

```
HTML
<script type="application/ld+json">
{
"@context": "https://schema.org",
"@graph": [
{
"@type": "Organization",
"@id": "https://takeover.land/#organization",
"name": "TAKEOVER - The internet is at war",
"description": "The internet is at war.",
"url": "https://takeover.land/",
"logo": "https://takeover.land/apple-icon.png?apple-icon.40esk38uw28o7.png"
},
{
"@type": "WebSite",
"@id": "https://takeover.land/#website",
"name": "TAKEOVER - The internet is at war",
"description": "The internet is at war.",
"url": "https://takeover.land/",
"publisher": {
"@id": "https://takeover.land/#organization"
},
"inLanguage": "en"
}
]
}
</script>
```

Fix Content signals

```
HTML
<meta http-equiv="Content-Signal" content="ai-train=no, search=yes,
ai-input=yes" />
<meta name="content-signal" content="ai-train=no, search=yes, ai-input=yes"
/>
```

Full report

https://llmscan.dev/scan/ORohOoln_dmCqYitnyVkH