

OVERALL SCORE

56 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include AI guidance file and sitemap, while plain-text page access and content signals need attention. Recommended next step: add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Recommended next step

1. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
2. Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.
3. Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access.

Signal breakdown

Crawlability Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.	Warn 10/20
Robots.txt Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access.	Warn 7.5/15
llms.txt The llms.txt file was found and includes the expected text, length, heading, and URL signals.	Pass 15/15

Sitemap	Pass	10/10
The sitemap index is valid and the checked child sitemap contains URL entries.		
Markdown support	Fail	0/15
Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.		
Semantic HTML	Warn	8.6/10
Avoid skipped heading levels so sections progress from h1 to h2 to h3 without gaps.		
Structured data	Warn	5/10
Prefer valid JSON-LD and fix malformed JSON-LD script tags for clearer AI interpretation.		
Content signals	Fail	0/5
Add the standard directive 'Content-Signal: ai-train=no, search=yes, ai-input=yes' to robots.txt, HTML metadata, or HTTP headers so AI systems can discover content usage preferences.		

Suggested fixes

Fix Structured data

HTML

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://burny.media/#organization",
      "name": "Production video. Diffusion web. Audiovisuel. - Burny media",
      "description": "Expert en production photo / video, realisation de podcasts,
diffusion web (virtuel / hybride) et accompagnement audiovisuel complet. -
Estimation gratuite",
      "url": "https://burny.media/",
      "logo":
      "https://burny.media/wp-content/uploads/2025/03/es_blanc-300x241.png",
      "sameAs": [
        "https://www.tiktok.com/",
        "https://instagram.com/burnymedia",
        "https://twitter.com/burnymedia",
        "https://youtube.com/@burnymedia",
        "https://www.linkedin.com/company/10382377"
      ],
    },
    {
      "@type": "WebSite",
      "@id": "https://burny.media/#website",
      "name": "Production Video Diffusion web. Audiovisuel. - Burny media",
      "Continued in the full scan report..."
    }
  ]
}
```

Fix Content signals

HTML

```
<meta http-equiv="Content-Signal" content="ai-train=no, search=yes,
ai-input=yes" />
<meta name="content-signal" content="ai-train=no, search=yes, ai-input=yes"
/>
```

Full report

https://www.llmscan.dev/scan/QP7_2j4Mgw5yPB2XzCw6m