LLM Scan

PUBLIC AI VISIBILITY REPORT

dlvr.sh

Scanned Jul 6, 2026, 11:01 UTC

OVERALL SCORE

22 /100 Poor

Executive summary

This site is difficult for AI tools to read right now. Key strengths include sitemap and content signals, while homepage access and crawler policy need attention. Recommended next step: remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Recommended next step

1. Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.
2. Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.
3. Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Signal breakdown

Crawlability — Fail 0/20

Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Robots.txt — Fail 0/15

Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.

llms.txt — Fail 0/15

Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Sitemap

Pass 10/10

The sitemap.xml file is valid and contains URL entries.

Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Semantic HTML

Warn 7.1/10

Add missing semantic elements: article. Replace generic anchor text so fewer than 10% of links use labels like "click here" or "learn more".

Structured data

Fail 0/10

Add JSON-LD structured data with Organization or WebSite schema so AI systems can identify the site owner or website entity.

Content signals

Pass 5/5

Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.

Suggested fixes

Fix Structured data

HTML

```
<script type="application/ld+json">
{
"@context": "https://schema.org",
"@graph": [
{
"@type": "Organization",
"@id": "https://dlvr.sh/#organization",
"name": "dlvr.sh - WeTransfer Alternative for Devs",
"description": "Developer-first temporary file delivery with short links,
expiry controls, passwords, download limits, and API-friendly uploads.",
"url": "https://dlvr.sh/",
"logo": "https://dlvr.sh/apple-touch-icon.png"
},
{
"@type": "WebSite",
"@id": "https://dlvr.sh/#website",
"name": "dlvr.sh - WeTransfer Alternative for Devs",
"description": "Developer-first temporary file delivery with short links,
expiry controls, passwords, download limits, and API-friendly uploads.",
"url": "https://dlvr.sh/",
"publisher": {
"@id": "https://dlvr.sh/#organization"
},
"inLanguage": "en"
}
]
continued in the full scan report...
```

Full report

https://www.llmscan.dev/scan/WULy-mCrcAb3kO5EbQRKi