

LLM Scan

PUBLIC AI VISIBILITY REPORT

2bid.lol

Scanned Sep 1, 2026, 11:01 UTC

OVERALL SCORE

40 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include sitemap and structured data, while homepage access and crawler policy need attention. Recommended next step: remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Recommended next step

- 1. Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.
- 2. Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.
- 3. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Signal breakdown

Crawlability Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.	Fail	0/20
Robots.txt Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.	Fail	0/15
llms.txt Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.	Warn	7.5/15

Sitemap	Pass	10/10
The sitemap.xml file is valid and contains URL entries.		
Markdown support	Fail	0/15
Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.		
Semantic HTML	Warn	7.1/10
Use exactly one h1 element and move secondary section titles to h2-h6. Add missing semantic elements: article.		
Structured data	Pass	10/10
Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.		
Content signals	Pass	5/5
Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.		

Suggested fixes

llms.txt

MARKDOWN

2bid.lol - Bid to rank your product worldwide

> Submit your product, bid in USD and climb a transparent worldwide leaderboard on 2bid.lol.

This llms.txt file summarizes the public, canonical resources that AI assistants and crawlers should use to understand this site.

Site Overview

- Canonical URL: <https://2bid.lol/>
- Site type: web site
- Recommended summary: Submit your product, bid in USD and climb a transparent worldwide leaderboard on 2bid.lol.

Core URLs

- [Homepage](<https://2bid.lol/>): Primary public entry point and canonical site overview.
- [Stats](<https://datafa.st/share/6a90803e6dee851a8d36e4cf?realtime=1>): Important public page discovered from the homepage navigation.
- [Rules](<https://2bid.lol/rules>): Important public page discovered from the homepage navigation.
- [@adteklabs on X](<https://x.com/adteklabs>): Important public page discovered from the homepage navigation.

Continued in the full scan report...

robots.txt additions

TXT

```
# robots.txt additions
# Copy these blocks into the existing robots.txt file. Keep current rules
unless a note calls out a conflicting Disallow.

# AI crawler access
# Add explicit Allow rules for blocked AI crawlers; remove or narrow
conflicting Disallow rules if your crawler target requires precedence.
User-agent: GPTBot
Allow: /

User-agent: ChatGPT-User
Allow: /

User-agent: ClaudeBot
Allow: /

User-agent: Claude-Web
Allow: /

User-agent: PerplexityBot
Allow: /

User-agent: Google-Extended
Allow: /

# Crawl-rate guidance
Continued in the full scan report...
```

schema.json

JSON

```
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://2bid.lol/#organization",
      "name": "2bid.lol - Bid to rank your product worldwide",
      "description": "Submit your product, bid in USD and climb a transparent
worldwide leaderboard on 2bid.lol.",
      "url": "https://2bid.lol/",
      "logo": "https://2bid.lol/favicon-2bid-192.png",
      "sameAs": [
        "https://x.com/adteklabs"
      ]
    },
    {
      "@type": "WebSite",
      "@id": "https://2bid.lol/#website",
      "name": "2bid.lol - Bid to rank your product worldwide",
      "description": "Submit your product, bid in USD and climb a transparent
worldwide leaderboard on 2bid.lol.",
      "url": "https://2bid.lol/",
      "publisher": {
        "@id": "https://2bid.lol/#organization"
      }
    },
    {
      "@type": "WebPage",
      "@id": "https://2bid.lol/#page",
      "name": "2bid.lol - Bid to rank your product worldwide",
      "description": "Submit your product, bid in USD and climb a transparent
worldwide leaderboard on 2bid.lol.",
      "url": "https://2bid.lol/",
      "publisher": {
        "@id": "https://2bid.lol/#organization"
      }
    }
  ]
}
```

Content-Signal

TXT

Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

HTTP response header

```
'''http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
'''
```

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

HTML meta tag alternatives

Add these inside the document '`<head>`' when server headers are not

continued in the full scan report...

Full report

<https://llmscan.dev/scan/YcSnKSnm5YSeyYGSzc8s0>