

OVERALL SCORE

58 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include AI guidance file and sitemap, while plain-text page access and page structure need attention. Recommended next step: add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Recommended next step

- 1. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
- 2. Serve a non-empty HTML homepage with a canonical link tag that points to the preferred public URL.
- 3. Shorten the meta description to 160 characters or fewer. Add exactly one h1 element that describes the page topic. Add missing semantic elements: article. Add visible body copy after script and style removal so the page has at least 200 words.

Signal breakdown

Crawlability

Warn 10/20

Serve a non-empty HTML homepage with a canonical link tag that points to the preferred public URL.

Robots.txt

Warn 7.5/15

Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.

llms.txt	Pass	15/15
The llms.txt file was found and includes the expected text, length, heading, and URL signals.		
Sitemap	Pass	10/10
The sitemap.xml file is valid and contains URL entries.		
Markdown support	Fail	0/15
Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.		
Semantic HTML	Fail	0/10
Shorten the meta description to 160 characters or fewer. Add exactly one h1 element that describes the page topic. Add missing semantic elements: article. Add visible body copy after script and style removal so the page has at least 200		
Structured data	Pass	10/10
Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.		
Content signals	Pass	5/5
Consider adding Content-Signal HTTP header, robots noai/noimageai directive, Content-Signal robots.txt directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.		

Suggested fixes

llms.txt

MARKDOWN

AI Photo Studio - Post-ready photos in one tap Bilgim

> Turn one selfie into a finished photoshoot. Pick a preset - editorial, UGC, fitness, fashion, lifestyle, beauty, cinematic - and get a post-ready image in under a minute. Face stays the same in every shot. No editing ski

This llms.txt file summarizes the public, canonical resources that AI assistants and crawlers should use to understand this site.

Site Overview

- Canonical URL: <https://www.bilgim.ai/>
- Site type: organization
- Recommended summary: Turn one selfie into a finished photoshoot. Pick a preset - editorial, UGC, fitness, fashion, lifestyle, beauty, cinematic - and get a post-ready image in under a minute. Face stays the same in every shot. No editing ski

Core URLs

- [Homepage](<https://www.bilgim.ai/>): Primary public entry point and canonical site overview.
- [Image](<https://www.bilgim.ai/generate/image>): Important public page discovered from the homepage navigation.

Content Recommendations

Continued in the full scan report...

robots.txt additions

TXT

robots.txt additions

Copy these blocks into the existing robots.txt file. Keep current rules unless a note calls out a conflicting Disallow.

Crawl-rate guidance

Add Crawl-delay under a User-agent block when the site needs gentler crawler pacing.

User-agent: *

Crawl-delay: 10

schema.json

```
JSON
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://www.bilgim.ai/#organization",
      "name": "AI Photo Studio - Post-ready photos in one tap Bilgim",
      "description": "Turn one selfie into a finished photoshoot. Pick a preset - editorial, UGC, fitness, fashion, lifestyle, beauty, cinematic - and get a post-ready image in under a minute. Face stays the same in every shot. No editing skills required.",
      "url": "https://www.bilgim.ai/",
      "logo": "https://www.bilgim.ai/icon-dark-180-180.png",
      "sameAs": [
        "https://instagram.com/bilgim.ai",
        "https://x.com/bilgimai",
        "https://tiktok.com/@bilgim.ai"
      ],
    },
    {
      "@type": "WebSite",
      "@id": "https://www.bilgim.ai/#website",
      "name": "AI Photo Studio - Post-ready photos in one tap Bilgim",
      "description": "Turn one selfie into a finished photoshoot. Pick a preset - editorial, UGC, fitness, fashion, lifestyle, beauty, cinematic - and get a post-ready image in under a minute. Face stays the same in every shot. No editing skills required."
    }
  ]
}
```

Content-Signal

```
TXT
# Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

## Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

## HTTP response header

'''http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
'''

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

## HTML meta tag alternatives

Add these inside the document '<head>' when server headers are not
```

Full report

https://llmscan.dev/scan/Zuv9X7HYwYf2Trc8Wix_j