

# LLM Scan

PUBLIC AI VISIBILITY REPORT

# vibebattle.io

Scanned Jun 21, 2026, 11:01 UTC

OVERALL SCORE

# 14 /100

Poor

## Executive summary

This site is difficult for AI tools to read right now. Key strengths include content signals, while homepage access and crawler policy need attention. Recommended next step: remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

## Recommended next step

1. Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.
2. Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.
3. Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

## Signal breakdown

### Crawlability

Fail 0/20

Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

### Robots.txt

Fail 0/15

Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.

### llms.txt

Fail 0/15

Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

## Sitemap

Fail 0/10

Publish a valid XML sitemap at /sitemap.xml and reference it from robots.txt so crawlers and AI systems can discover important URLs.

## Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

## Semantic HTML

Warn 8.6/10

Add visible body copy after script and style removal so the page has at least 200 words.

## Structured data

Fail 0/10

Add JSON-LD structured data with Organization or WebSite schema so AI systems can identify the site owner or website entity.

## Content signals

Pass 5/5

Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.

## Suggested fixes

### Fix Structured data

#### HTML

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://vibebattle.io/#organization",
      "name": "vibebattle build a landing page with AI",
      "description": "Multiplayer game: race to build the best landing page using AI prompts on a random subject.",
      "url": "https://vibebattle.io/",
      "logo": "https://vibebattle.io/apple-icon.png?apple-icon.04q-.wjr.v.bex.png",
      "sameAs": [
        "https://x.com/_mvallenet"
      ]
    },
    {
      "@type": "WebSite",
      "@id": "https://vibebattle.io/#website",
      "name": "vibebattle build a landing page with AI",
      "description": "Multiplayer game: race to build the best landing page using AI prompts on a random subject.",
      "url": "https://vibebattle.io/",
      "publisher": {
        "@id": "https://vibebattle.io/#organization"
      }
    }
  ]
}
Continued in the full scan report...
```

## Full report

<https://www.llmscan.dev/scan/a8phj6wiJEnYWTtk14HSh>