

LLM Scan

PUBLIC AI VISIBILITY REPORT

www.vantaii.com

Scanned Jun 25, 2026, 11:01 UTC

OVERALL SCORE

42 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include crawler policy and sitemap, while AI guidance file and plain-text page access need attention. Recommended next step: publish an AI guidance file as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Recommended next step

1. Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.
2. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
3. Serve a non-empty HTML homepage with a canonical link tag that points to the preferred public URL.

Signal breakdown

Crawlability

Warn 10/20

Serve a non-empty HTML homepage with a canonical link tag that points to the preferred public URL.

Robots.txt

Pass 15/15

robots.txt allows crawler access and includes Sitemap references.

llms.txt

Fail 0/15

Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Sitemap

Pass 10/10

The sitemap.xml file is valid and contains URL entries.

Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Semantic HTML

Warn 7.1/10

Avoid skipped heading levels so sections progress from h1 to h2 to h3 without gaps. Add missing semantic elements: article.

Structured data

Fail 0/10

Add JSON-LD structured data with Organization or WebSite schema so AI systems can identify the site owner or website entity.

Content signals

Fail 0/5

Add the standard directive 'Content-Signal: ai-train=no, search=yes, ai-input=yes' to robots.txt, HTML metadata, or HTTP headers so AI systems can discover content usage preferences.

Suggested fixes

Fix Structured data

HTML

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://www.vantauti.com/#organization",
      "name": "VantaUI - UI Library Built From Real Products",
      "description": "Discover production-grade site templates, app templates, components, blocks, and Figma files ready for LLMs, Next.js and React.",
      "url": "https://www.vantauti.com/",
      "logo": "https://www.vantauti.com/favicon.ico?favicon.31gqd6d9hck3v.ico",
      "sameAs": [
        "https://x.com/vanta_ui"
      ]
    },
    {
      "@type": "WebSite",
      "@id": "https://www.vantauti.com/#website",
      "name": "VantaUI - UI Library Built From Real Products",
      "description": "Discover production-grade site templates, app templates, components, blocks, and Figma files ready for LLMs, Next.js and React.",
      "url": "https://www.vantauti.com/",
      "publisher": {
        "@id": "https://www.vantauti.com/#organization"
      }
    }
  ]
}

```

Continued in the full scan report...

Fix Content signals

HTML

```
<meta http-equiv="Content-Signal" content="ai-train=no, search=yes, ai-input=yes" />
<meta name="content-signal" content="ai-train=no, search=yes, ai-input=yes" />

```

Full report

<https://www.llmscan.dev/scan/bfRifldtIs0veVkb6BK9z>