

LLM Scan

PUBLIC AI VISIBILITY REPORT

ticketsdata.com

Scanned Jun 23, 2026, 08:34 UTC

OVERALL SCORE

57 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include homepage access and crawler policy, while AI guidance file and plain-text page access need attention. Recommended next step: publish an AI guidance file as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Recommended next step

1. Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.
2. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
3. Prefer valid JSON-LD and include Organization or WebSite schema.org types in valid JSON-LD for clearer AI interpretation.

Signal breakdown

Crawlability

Pass 20/20

The homepage resolves, connects, returns HTTP 200 OK, exposes a canonical URL, and is not blocked by robots.txt.

Robots.txt

Pass 15/15

robots.txt allows crawler access and includes Sitemap references.

llms.txt

Fail 0/15

Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Sitemap

Pass 10/10

The sitemap.xml file is valid and contains URL entries.

Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Semantic HTML

Warn 7.1/10

Shorten the meta description to 160 characters or fewer. Add missing semantic elements: article.

Structured data

Warn 5/10

Prefer valid JSON-LD and include Organization or WebSite schema.org types in valid JSON-LD for clearer AI interpretation.

Content signals

Fail 0/5

Add the standard directive 'Content-Signal: ai-train=no, search=yes, ai-input=yes' to robots.txt, HTML metadata, or HTTP headers so AI systems can discover content usage preferences.

Suggested fixes

Fix Structured data

HTML

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://ticketsdata.com/#organization",
      "name": "TicketsData - Ticketmaster API & Event Data in JSON",
      "description": "Get instant Ticketmaster API access with real-time event data in clean JSON. Supports StubHub, SeatGeek, VividSeats, Gametime, TickPick and Viagogo. Start in minutes.",
      "url": "https://ticketsdata.com/",
      "logo": "https://ticketsdata.com/android-chrome-192x192.png"
    },
    {
      "@type": "WebSite",
      "@id": "https://ticketsdata.com/#website",
      "name": "TicketsData - Ticketmaster API & Event Data in JSON",
      "description": "Get instant Ticketmaster API access with real-time event data in clean JSON. Supports StubHub, SeatGeek, VividSeats, Gametime, TickPick and Viagogo. Start in minutes.",
      "url": "https://ticketsdata.com/",
      "publisher": {
        "@id": "https://ticketsdata.com/#organization"
      },
      "inLanguage": "en"
    }
  ]
}
```

Continued in the full scan report...

Fix Content signals

HTML

```
<meta http-equiv="Content-Signal" content="ai-train=no, search=yes, ai-input=yes" />
<meta name="content-signal" content="ai-train=no, search=yes, ai-input=yes" />
```

Full report

<https://www.llmscan.dev/scan/bpmUiMnCCY7KINv15xmk2>