LLM Scan

PUBLIC AI VISIBILITY REPORT

skipcut.com

Scanned Jul 1, 2026, 11:01 UTC

OVERALL SCORE

57 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include sitemap and structured data, while plain-text page access and homepage access need attention. Recommended next step: add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Recommended next step

1. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
2. Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.
3. Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.

Signal breakdown

Crawlability

Warn 10/20

Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.

Robots.txt

Warn 7.5/15

Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.

llms.txt

Warn 7.5/15

Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Sitemap

Pass 10/10

The sitemap.xml file is valid and contains URL entries.

Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Semantic HTML

Warn 7.1/10

Avoid skipped heading levels so sections progress from h1 to h2 to h3 without gaps. Add missing semantic elements: main, article.

Structured data

Pass 10/10

Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.

Content signals

Pass 5/5

Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.

Suggested fixes

llms.txt

MARKDOWN

```
# YouTube Ad Blocker | Watch YouTube Without Ads | SkipCut

> Watch YouTube without ads using SkipCut YouTube Ad Blocker. Background
play, sponsorblock, and local history. No install, no APK, no extension.
Fast and safe.

This llms.txt file summarizes the public, canonical resources that AI
assistants and crawlers should use to understand this site.

## Site Overview

- Canonical URL: https://skipcut.com/
- Site type: software application
- Recommended summary: Watch YouTube without ads using SkipCut YouTube Ad
Blocker. Background play, sponsorblock, and local history. No install, no
APK, no extension. Fast and safe.

## Core URLs

- [Homepage](https://skipcut.com/): Primary public entry point and canonical
site overview.
- [SkipCut.com](https://skipcut.com/index.html): Important public page
discovered from the homepage navigation.
- [Trending](https://skipcut.com/trending.html): Important public page
discovered from the homepage navigation.
- [24x7 Live](https://skipcut.com/live-tv.html): Important public page
Continued in the full scan report...
```

robots.txt additions

TXT

```
# robots.txt additions
# Copy these blocks into the existing robots.txt file. Keep current rules
unless a note calls out a conflicting Disallow.

# AI crawler access
# Add explicit Allow rules for blocked AI crawlers; remove or narrow
conflicting Disallow rules if your crawler target requires precedence.
User-agent: ClaudeBot
Allow: /

User-agent: PerplexityBot
Allow: /

User-agent: Google-Extended
Allow: /
```

schema.json

JSON

```
{
"@context": "https://schema.org",
"@graph": [
{
"@type": "Organization",
"@id": "https://skipcut.com/#organization",
"name": "YouTube Ad Blocker | Watch YouTube Without Ads | SkipCut",
"description": "Watch YouTube without ads using SkipCut YouTube Ad Blocker.
Background play, sponsorblock, and local history. No install, no APK, no
extension. Fast and safe.",
"url": "https://skipcut.com/",
"logo": "https://skipcut.com/img/skipcut-favicon.png",
"sameAs": [
"https://twitter.com/skipcut_com"
]
},
{
"@type": "WebSite",
"@id": "https://skipcut.com/#website",
"name": "YouTube Ad Blocker | Watch YouTube Without Ads | SkipCut",
"description": "Watch YouTube without ads using SkipCut YouTube Ad Blocker.
Background play, sponsorblock, and local history. No install, no APK, no
extension. Fast and safe.",
"url": "https://skipcut.com/",
"publisher": {
"@id": "https://skipcut.com/#organization"
```

Continued in the full scan report...

Content-Signal

TXT

```
# Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant
crawlers and AI systems. They are advisory signals, so keep them aligned
with robots.txt, terms, and access controls.

## Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response
context.

## HTTP response header

‘‘‘http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
‘‘‘

Best for site-wide or route-specific policies because the signal travels
with every response, including pages that AI systems fetch directly.

## HTML meta tag alternatives

Add these inside the document ‘<head>‘ when server headers are not
```

Continued in the full scan report...

Full report

https://www.llmscan.dev/scan/e_2O3VvSROeOAbXv2xwGq