

LLM Scan

PUBLIC AI VISIBILITY REPORT

plai.chat

Scanned Jun 23, 2026, 08:33 UTC

OVERALL SCORE

73 /100

AI-Readable

Executive summary

This site is mostly readable by AI tools, with a few improvements still recommended. Key strengths include homepage access and AI guidance file, while plain-text page access and crawler policy need attention. Recommended next step: add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Recommended next step

1. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
2. Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.
3. Shorten the title tag to 70 characters or fewer. Shorten the meta description to 160 characters or fewer. Add missing semantic elements: article, nav.

Signal breakdown

Crawlability

Pass 20/20

The homepage resolves, connects, returns HTTP 200 OK, exposes a canonical URL, and is not blocked by robots.txt.

Robots.txt

Warn 7.5/15

Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.

llms.txt

Pass 15/15

The llms.txt file was found and includes the expected text, length, heading, and URL signals.

Sitemap

Pass 10/10

The sitemap.xml file is valid and contains URL entries.

Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Semantic HTML

Warn 5.7/10

Shorten the title tag to 70 characters or fewer. Shorten the meta description to 160 characters or fewer. Add missing semantic elements: article, nav.

Structured data

Pass 10/10

Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.

Content signals

Pass 5/5

Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.

Suggested fixes

llms.txt

MARKDOWN

```
# PLAI.chat - Free AI Chat with 300+ Models | No Ads, No Subscription |  
ChatGPT Alternative
```

```
> Private AI chat with 300+ models-ChatGPT, Claude, Gemini-without sending  
conversations to our servers. Your chats stay in your browser. No signup, no  
subscriptions, pay only for what you use.
```

This llms.txt file summarizes the public, canonical resources that AI assistants and crawlers should use to understand this site.

Site Overview

- Canonical URL: <https://plai.chat/>
- Site type: web site
- Recommended summary: Private AI chat with 300+ models-ChatGPT, Claude, Gemini-without sending conversations to our servers. Your chats stay in your browser. No signup, no subscriptions, pay only for what you use.

Core URLs

- [Homepage](<https://plai.chat/>): Primary public entry point and canonical site overview.
- [](<https://plai.chat/cdn-cgi/l/email-protection>): Important public page discovered from the homepage navigation.
- [Poe](<https://plai.chat/poe-alternative/>): Important public page discovered from the homepage navigation.
Continued in the full scan report...

robots.txt additions

TXT

```
# robots.txt additions  
# Copy these blocks into the existing robots.txt file. Keep current rules  
unless a note calls out a conflicting Disallow.  
  
# Crawl-rate guidance  
# Add Crawl-delay under a User-agent block when the site needs gentler  
crawler pacing.  
User-agent: *  
Crawl-delay: 10
```

schema.json

JSON

```
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://plai.chat/#organization",
      "name": "PLAI.chat - Free AI Chat with 300+ Models | No Ads, No Subscription | ChatGPT Alternative",
      "description": "Private AI chat with 300+ models-ChatGPT, Claude, Gemini-without sending conversations to our servers. Your chats stay in your browser. No signup, no subscriptions, pay only for what you use.",
      "url": "https://plai.chat/",
      "logo": "https://plai.chat/icon_send_black_tr.png"
    },
    {
      "@type": "WebSite",
      "@id": "https://plai.chat/#website",
      "name": "PLAI.chat - Free AI Chat with 300+ Models | No Ads, No Subscription | ChatGPT Alternative",
      "description": "Private AI chat with 300+ models-ChatGPT, Claude, Gemini-without sending conversations to our servers. Your chats stay in your browser. No signup, no subscriptions, pay only for what you use.",
      "url": "https://plai.chat/",
      "publisher": {
        "@id": "https://plai.chat/#organization"
      }
    }
  ]
}
Continued in the full scan report...
```

Content-Signal

TXT

Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

HTTP response header

```
````http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
````
```

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

HTML meta tag alternatives

Add these inside the document `<head>` when server headers are not
Continued in the full scan report...

Full report

<https://www.llmscan.dev/scan/hTTobvY6GIl5Orpzc49ro>