

LLM Scan

PUBLIC AI VISIBILITY REPORT

aitoolhunt.co

Scanned Jul 3, 2026, 11:01 UTC

OVERALL SCORE

28 /100

Poor

Executive summary

This site is difficult for AI tools to read right now. Key strengths include sitemap and content signals, while homepage access and crawler policy need attention. Recommended next step: remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Recommended next step

1. Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.
2. Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.
3. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Signal breakdown

Crawlability

Fail 0/20

Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Robots.txt

Fail 0/15

Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.

llms.txt

Warn 7.5/15

Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Sitemap

Pass 10/10

The sitemap.xml file is valid and contains URL entries.

Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Semantic HTML

Warn 5.7/10

Shorten the meta description to 160 characters or fewer. Add missing semantic elements: article. Add visible body copy after script and style removal so the page has at least 200 words.

Structured data

Fail 0/10

Add JSON-LD structured data with Organization or WebSite schema so AI systems can identify the site owner or website entity.

Content signals

Pass 5/5

Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.

Suggested fixes

Fix Structured data

HTML

```
<script type="application/ld+json">
{
"@context": "https://schema.org",
"@graph": [
{
"@type": "Organization",
"@id": "https://aitoolhunt.co/#organization",
"name": "AIToolHunt - Discover the Best AI Tools for Your Needs",
"description": "AIToolHunt is your ultimate AI tools directory. Explore and discover the best AI tools across different categories - from productivity to creativity, content generation to data analysis. Find the perfect AI solution for your needs.",
"url": "https://aitoolhunt.co/",
"logo": "https://aitoolhunt.co/logo.png"
},
{
"@type": "WebSite",
"@id": "https://aitoolhunt.co/#website",
"name": "AIToolHunt - Discover the Best AI Tools for Your Needs",
"description": "AIToolHunt is your ultimate AI tools directory. Explore and discover the best AI tools across different categories - from productivity to creativity, content generation to data analysis. Find the perfect AI solution for your needs.",
"url": "https://aitoolhunt.co/",
"publisher": {
"@id": "https://aitoolhunt.co/#organization"
}
}
]
}
```

Continued in the full scan report...

Full report

<https://www.llmscan.dev/scan/tZtvO7eHz1-Q-f6WjsxuP>