

OVERALL SCORE

47 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include AI guidance file and sitemap, while homepage access and crawler policy need attention. Recommended next step: remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Recommended next step

- 1. Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.
- 2. Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.
- 3. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Signal breakdown

Crawlability Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.	Fail	0/20
Robots.txt Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.	Fail	0/15
llms.txt The llms.txt file was found and includes the expected text, length, heading, and URL signals.	Pass	15/15

Sitemap	Pass	10/10
The sitemap.xml file is valid and contains URL entries.		
Markdown support	Fail	0/15
Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.		
Semantic HTML	Warn	7.1/10
Shorten the meta description to 160 characters or fewer. Add missing semantic elements: article.		
Structured data	Pass	10/10
Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.		
Content signals	Pass	5/5
Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.		

Suggested fixes

llms.txt

MARKDOWN

```
# Openbroca - Native AI dictation for macOS

> Voice-to-text for Mac that understands natural speech and turns it into
clear, reader-ready writing wherever your cursor is - with talk-to-translate
into 28 languages and Screen Context. Free to start.

This llms.txt file summarizes the public, canonical resources that AI
assistants and crawlers should use to understand this site.

## Site Overview

- Canonical URL: https://openbroca.com/
- Site type: software application
- Recommended summary: Voice-to-text for Mac that understands natural speech
and turns it into clear, reader-ready writing wherever your cursor is - with
talk-to-translate into 28 languages and Screen Context. Free to start.

## Core URLs

- [Homepage](https://openbroca.com/): Primary public entry point and
canonical site overview.
- [Pricing](https://openbroca.com/pricing): Pricing, plans, and packaging
information.
- [Tools](https://openbroca.com/tools): Important public page discovered
from the homepage navigation.
- [Native macOS 15+] (https://openbroca.com/why-mac): Important public page
Continued in the full scan report...
```

robots.txt additions

TXT

```
# robots.txt additions
# Copy these blocks into the existing robots.txt file. Keep current rules
unless a note calls out a conflicting Disallow.

# AI crawler access
# Add explicit Allow rules for blocked AI crawlers; remove or narrow
conflicting Disallow rules if your crawler target requires precedence.
User-agent: GPTBot
Allow: /

User-agent: ClaudeBot
Allow: /

User-agent: Google-Extended
Allow: /

# Crawl-rate guidance
# Add Crawl-delay under a User-agent block when the site needs gentler
crawler pacing.
User-agent: *
Crawl-delay: 10
```

schema.json

```
JSON
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://openbroca.com/#organization",
      "name": "Openbroca - Native AI dictation for macOS",
      "description": "Voice-to-text for Mac that understands natural speech and turns it into clear, reader-ready writing wherever your cursor is - with talk-to-translate into 28 languages and Screen Context. Free to start.",
      "url": "https://openbroca.com/",
      "logo": "https://openbroca.com/brand/app-icon.png"
    },
    {
      "@type": "WebSite",
      "@id": "https://openbroca.com/#website",
      "name": "Openbroca - Native AI dictation for macOS",
      "description": "Voice-to-text for Mac that understands natural speech and turns it into clear, reader-ready writing wherever your cursor is - with talk-to-translate into 28 languages and Screen Context. Free to start.",
      "url": "https://openbroca.com/",
      "publisher": {
        "@id": "https://openbroca.com/#organization"
      },
      "inLanguage": "en"
    }
  ]
}
Continued in the full scan report...
```

Content-Signal

```
TXT
# Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

## Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

## HTTP response header

'''http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
'''

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

## HTML meta tag alternatives

Add these inside the document '<head>' when server headers are not
Continued in the full scan report...
```

Full report

https://llmscan.dev/scan/tp4j4ON6B1DLuN_idb05i