

OVERALL SCORE

40 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include AI guidance file and sitemap, while homepage access and crawler policy need attention. Recommended next step: remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Recommended next step

- 1. Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.
- 2. Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.
- 3. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Signal breakdown

Crawlability Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.	Fail	0/20
Robots.txt Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.	Fail	0/15
llms.txt The llms.txt file was found and includes the expected text, length, heading, and URL signals.	Pass	15/15

Sitemap	Pass	10/10
The sitemap.xml file is valid and contains URL entries.		
Markdown support	Fail	0/15
Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.		
Semantic HTML	Fail	0/10
Shorten the meta description to 160 characters or fewer. Add exactly one h1 element that describes the page topic. Add missing semantic elements: main, article, nav, footer. Add visible body copy after script and style removal so the		
Structured data	Pass	10/10
Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.		
Content signals	Pass	5/5
Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.		

Suggested fixes

llms.txt

MARKDOWN

Test Your App Now! - Find bugs before your users do

> Most apps crash and bleed users on their way to 1 mil from flows nobody test end-to-end. We programatically run a full test suite in under 5 minutes. Your user flows now work for real users at any scale. Skip the QA hire

This llms.txt file summarizes the public, canonical resources that AI assistants and crawlers should use to understand this site.

Site Overview

- Canonical URL: <https://testyourappnow.com/>
- Site type: web site
- Recommended summary: Most apps crash and bleed users on their way to 1 mil from flows nobody test end-to-end. We programatically run a full test suite in under 5 minutes. Your user flows now work for real users at any scale. Skip the QA hire

Core URLs

- [Homepage](<https://testyourappnow.com/>): Primary public entry point and canonical site overview.

Content Recommendations

Continued in the full scan report...

robots.txt additions

TXT

robots.txt additions

Copy these blocks into the existing robots.txt file. Keep current rules unless a note calls out a conflicting Disallow.

AI crawler access

Add explicit Allow rules for blocked AI crawlers; remove or narrow conflicting Disallow rules if your crawler target requires precedence.

User-agent: GPTBot

Allow: /

User-agent: ClaudeBot

Allow: /

User-agent: Google-Extended

Allow: /

Crawl-rate guidance

Add Crawl-delay under a User-agent block when the site needs gentler crawler pacing.

User-agent: *

Crawl-delay: 10

schema.json

```
JSON
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://testyourappnow.com/#organization",
      "name": "Test Your App Now! - Find bugs before your users do",
      "description": "Most apps crash and bleed users on their way to 1 mil from flows nobody test end-to-end. We programatically run a full test suite in under 5 minutes. Your user flows now work for real users at any scale. Skip the QA hire.",
      "url": "https://testyourappnow.com/",
      "logo": "https://testyourappnow.com/apple-icon.png"
    },
    {
      "@type": "WebSite",
      "@id": "https://testyourappnow.com/#website",
      "name": "Test Your App Now! - Find bugs before your users do",
      "description": "Most apps crash and bleed users on their way to 1 mil from flows nobody test end-to-end. We programatically run a full test suite in under 5 minutes. Your user flows now work for real users at any scale. Skip the QA hire.",
      "url": "https://testyourappnow.com/",
      "publisher": {
        "@id": "https://testyourappnow.com/#organization"
      }
    }
  ]
}
Continued in the full scan report...
```

Content-Signal

```
TXT
# Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

## Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

## HTTP response header

'''http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
'''

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

## HTML meta tag alternatives

Add these inside the document '<head>' when server headers are not
Continued in the full scan report...
```

Full report

<https://llmscan.dev/scan/uCOKKbe0fG0ps6T9s-lml>