

OVERALL SCORE

81 /100

AI-Readable

Executive summary

This site is mostly readable by AI tools, with a few improvements still recommended. Key strengths include AI guidance file and plain-text page access, while homepage access and crawler policy need attention. Recommended next step: review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.

Recommended next step

- 1. Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.
- 2. Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.
- 3. Add missing semantic elements: main, article.

Signal breakdown

Crawlability Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.	Warn 10/20
Robots.txt Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.	Warn 7.5/15
llms.txt The llms.txt file was found and includes the expected text, length, heading, and URL signals.	Pass 15/15

Sitemap	Pass	10/10
The sitemap.xml file is valid and contains URL entries.		
Markdown support	Pass	15/15
The homepage returns markdown content when requested with Accept: text/markdown, giving AI systems a cleaner text representation with less navigation chrome to parse.		
Semantic HTML	Warn	8.6/10
Add missing semantic elements: main, article.		
Structured data	Pass	10/10
Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.		
Content signals	Pass	5/5
Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.		

Suggested fixes

llms.txt

MARKDOWN

GetXAPI: Cheapest Twitter API & X API | \$0.05/1K Tweets

> GetXAPI is the cheapest Twitter API and X API. \$0.001 per call returns ~20 tweets (\$0.05 per 1,000). Fetch tweets, profiles, followers. No dev account.

This llms.txt file summarizes the public, canonical resources that AI assistants and crawlers should use to understand this site.

Site Overview

- Canonical URL: <https://www.getxapi.com/>
- Site type: web site
- Recommended summary: GetXAPI is the cheapest Twitter API and X API. \$0.001 per call returns ~20 tweets (\$0.05 per 1,000). Fetch tweets, profiles, followers. No dev account.

Core URLs

- [Homepage](<https://www.getxapi.com/>): Primary public entry point and canonical site overview.
 - [Pricing](<https://www.getxapi.com/pricing>): Pricing, plans, and packaging information.
 - [Docs](<https://docs.getxapi.com/>): Documentation and implementation guidance for the site.
 - [Blog](<https://www.getxapi.com/blogs>): Editorial updates, announcements, and current context
- CONTINUED in the full scan report...

robots.txt additions

TXT

robots.txt additions

Copy these blocks into the existing robots.txt file. Keep current rules unless a note calls out a conflicting Disallow.

AI crawler access

Add explicit Allow rules for blocked AI crawlers; remove or narrow conflicting Disallow rules if your crawler target requires precedence.

User-agent: Claude-Web

Allow: /

Crawl-rate guidance

Add Crawl-delay under a User-agent block when the site needs gentler crawler pacing.

User-agent: *

Crawl-delay: 10

schema.json

```
JSON
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://www.getxapi.com/#organization",
      "name": "GetXAPI: Cheapest Twitter API & X API | $0.05/1K Tweets",
      "description": "GetXAPI is the cheapest Twitter API and X API. $0.001 per call returns ~20 tweets ($0.05 per 1,000). Fetch tweets, profiles, followers. No dev account.",
      "url": "https://www.getxapi.com/",
      "logo": "https://www.getxapi.com/apple-icon.png",
      "sameAs": [
        "https://github.com/getxapi/getxapi-mcp"
      ]
    },
    {
      "@type": "WebSite",
      "@id": "https://www.getxapi.com/#website",
      "name": "GetXAPI: Cheapest Twitter API & X API | $0.05/1K Tweets",
      "description": "GetXAPI is the cheapest Twitter API and X API. $0.001 per call returns ~20 tweets ($0.05 per 1,000). Fetch tweets, profiles, followers. No dev account.",
      "url": "https://www.getxapi.com/",
      "publisher": {
        "@id": "https://www.getxapi.com/#organization"
      }
    }
  ]
}
```

Content-Signal

```
TXT
# Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

## Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

## HTTP response header

'''http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
'''

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

## HTML meta tag alternatives

Add these inside the document '<head>' when server headers are not
```

Full report

<https://llmscan.dev/scan/uCfuotN6oqKRTuCg3JFC3>