

LLM Scan

PUBLIC AI VISIBILITY REPORT

stashed.pages.dev

Scanned Jul 5, 2026, 11:01 UTC

OVERALL SCORE

32 /100

Poor

Executive summary

This site is difficult for AI tools to read right now. The main areas needing attention are plain-text page access and sitemap. Recommended next step: add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Recommended next step

1. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.
2. Serve a non-empty HTML homepage with a canonical link tag that points to the preferred public URL.
3. Regenerate sitemap.xml with valid XML and a sitemap <urlset> or <sitemapindex> root element.

Signal breakdown

Crawlability

Warn 10/20

Serve a non-empty HTML homepage with a canonical link tag that points to the preferred public URL.

Robots.txt

Warn 7.5/15

Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.

llms.txt

Warn 7.5/15

Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

Sitemap

Fail 0/10

Regenerate sitemap.xml with valid XML and a sitemap <urlset> or <sitemapindex> root element.

Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Semantic HTML

Warn 7.1/10

Shorten the meta description to 160 characters or fewer. Add missing semantic elements: main, article.

Structured data

Fail 0/10

Add JSON-LD structured data with Organization or WebSite schema so AI systems can identify the site owner or website entity.

Content signals

Fail 0/5

Add the standard directive 'Content-Signal: ai-train=no, search=yes, ai-input=yes' to robots.txt, HTML metadata, or HTTP headers so AI systems can discover content usage preferences.

Suggested fixes

Fix Structured data

HTML

```
<script type="application/ld+json">
{
"@context": "https://schema.org",
"@graph": [
{
"@type": "Organization",
"@id": "https://stashed.pages.dev/#organization",
"name": "Stashed - Save & Find Anything on the Web",
"description": "Stashed replaces the bookmark graveyard with a personal
memory for the web. Save any page in one click and find it again in seconds
with smart tags and full-text search.",
"url": "https://stashed.pages.dev/",
"logo": "https://stashed.pages.dev/icon/128.png"
},
{
"@type": "WebSite",
"@id": "https://stashed.pages.dev/#website",
"name": "Stashed - Save & Find Anything on the Web",
"description": "Stashed replaces the bookmark graveyard with a personal
memory for the web. Save any page in one click and find it again in seconds
with smart tags and full-text search.",
"url": "https://stashed.pages.dev/",
"publisher": {
"@id": "https://stashed.pages.dev/#organization"
},
"inLanguage": "en"
}
]
}
```

Continued in the full scan report...

Fix Content signals

HTML

```
<meta http-equiv="Content-Signal" content="ai-train=no, search=yes,
ai-input=yes" />
<meta name="content-signal" content="ai-train=no, search=yes, ai-input=yes"
/>
```

Full report

https://www.llmscan.dev/scan/wR4TSK4hxov_OPalrimiQ