

LLM Scan

PUBLIC AI VISIBILITY REPORT

tryskilly.app

Scanned Jun 26, 2026, 11:02 UTC

OVERALL SCORE

47 /100

Needs Work

Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include AI guidance file and sitemap, while homepage access and crawler policy need attention. Recommended next step: remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Recommended next step

1. Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.
2. Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.
3. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Signal breakdown

Crawlability

Fail 0/20

Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

Robots.txt

Fail 0/15

Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.

llms.txt

Pass 15/15

The llms.txt file was found and includes the expected text, length, heading, and URL signals.

Sitemap

Pass 10/10

The sitemap index is valid and the checked child sitemap contains URL entries.

Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

Semantic HTML

Warn 7.1/10

Avoid skipped heading levels so sections progress from h1 to h2 to h3 without gaps. Add missing semantic elements: article.

Structured data

Pass 10/10

Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.

Content signals

Pass 5/5

Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.

Suggested fixes

llms.txt

MARKDOWN

```
# Skilly for Builders - Voice guidance for your website or app
```

```
> Skilly for Builders lets website, SaaS, and app owners add a voice-and-pointer guide that answers from product content, docs, and Studio-managed skills.
```

This llms.txt file summarizes the public, canonical resources that AI assistants and crawlers should use to understand this site.

Site Overview

- Canonical URL: <https://tryskilly.app/>
- Site type: organization
- Recommended summary: Skilly for Builders lets website, SaaS, and app owners add a voice-and-pointer guide that answers from product content, docs, and Studio-managed skills.

Core URLs

- [Homepage](<https://tryskilly.app/>): Primary public entry point and canonical site overview.
 - [For People](<https://tryskilly.app/people>): Important public page discovered from the homepage navigation.
 - [Learn](<https://tryskilly.app/learn>): Important public page discovered from the homepage navigation.
 - [Open Studio](<https://studio.tryskilly.app/signup>): Important public page
- Continued in the full scan report...

robots.txt additions

TXT

```
# robots.txt additions
```

```
# Copy these blocks into the existing robots.txt file. Keep current rules unless a note calls out a conflicting Disallow.
```

```
# AI crawler access
```

```
# Add explicit Allow rules for blocked AI crawlers; remove or narrow conflicting Disallow rules if your crawler target requires precedence.
```

```
User-agent: GPTBot
```

```
Allow: /
```

```
User-agent: ClaudeBot
```

```
Allow: /
```

```
User-agent: Google-Extended
```

```
Allow: /
```

```
# Crawl-rate guidance
```

```
# Add Crawl-delay under a User-agent block when the site needs gentler crawler pacing.
```

```
User-agent: *
```

```
Crawl-delay: 10
```

schema.json

JSON

```
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://tryskilly.app/#organization",
      "name": "Skilly for Builders - Voice guidance for your website or app",
      "description": "Skilly for Builders lets website, SaaS, and app owners add a voice-and-pointer guide that answers from product content, docs, and Studio-managed skills.",
      "url": "https://tryskilly.app/",
      "logo": "https://tryskilly.app/skilly-mark.png",
      "sameAs": [
        "https://github.com/tryskilly/skilly",
        "https://x.com/tryskilly"
      ]
    },
    {
      "@type": "WebSite",
      "@id": "https://tryskilly.app/#website",
      "name": "Skilly for Builders - Voice guidance for your website or app",
      "description": "Skilly for Builders lets website, SaaS, and app owners add a voice-and-pointer guide that answers from product content, docs, and Studio-managed skills.",
      "url": "https://tryskilly.app/",
      "publisher": {
        "name": "Skilly for Builders",
        "url": "https://tryskilly.app/"
      }
    }
  ]
}
```

Content-Signal

TXT

```
# Content-Signal recommendations
```

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

```
## Recommended values
```

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

```
## HTTP response header
```

```
```http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
```
```

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

```
## HTML meta tag alternatives
```

```
Add these inside the document '<head>' when server headers are not supported.
```

Full report

<https://www.llmscan.dev/scan/y9V5Pz8MnK2bQEhdE3Swo>