

# LLM Scan

PUBLIC AI VISIBILITY REPORT

# trytau.app

Scanned Jun 27, 2026, 11:01 UTC

OVERALL SCORE

# 47 /100

Needs Work

## Executive summary

This site has a useful foundation, but important gaps still limit AI readability. Key strengths include AI guidance file and sitemap, while homepage access and crawler policy need attention. Recommended next step: remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

## Recommended next step

1. Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.
2. Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.
3. Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

## Signal breakdown

### Crawlability

Fail 0/20

Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

### Robots.txt

Fail 0/15

Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.

### llms.txt

Pass 15/15

The llms.txt file was found and includes the expected text, length, heading, and URL signals.

## Sitemap

Pass 10/10

The sitemap index is valid and the checked child sitemap contains URL entries.

## Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

## Semantic HTML

Warn 7.1/10

Shorten the meta description to 160 characters or fewer. Add missing semantic elements: main, article.

## Structured data

Pass 10/10

Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.

## Content signals

Pass 5/5

Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.

# Suggested fixes

## llms.txt

### MARKDOWN

```
# Tau - Screen & Camera Timelapse Recorder for Mac & Windows
```

```
> Record your screen, camera, or both at once - then edit and export  
stunning timelapses on macOS and Windows. Smart overlays, multi-source  
recording, and one-click export.
```

This llms.txt file summarizes the public, canonical resources that AI assistants and crawlers should use to understand this site.

### ## Site Overview

- Canonical URL: <https://trytau.app/>
- Site type: software application
- Recommended summary: Record your screen, camera, or both at once - then edit and export stunning timelapses on macOS and Windows. Smart overlays, multi-source recording, and one-click export.

### ## Core URLs

- [Homepage](<https://trytau.app/>): Primary public entry point and canonical site overview.
- [Sign in](<https://trytau.app/sign-in>): Important public page discovered from the homepage navigation.

### ## Content Recommendations

Continued in the full scan report...

## robots.txt additions

### TXT

```
# robots.txt additions
# Copy these blocks into the existing robots.txt file. Keep current rules
unless a note calls out a conflicting Disallow.

# AI crawler access
# Add explicit Allow rules for blocked AI crawlers; remove or narrow
conflicting Disallow rules if your crawler target requires precedence.
User-agent: GPTBot
Allow: /

User-agent: ClaudeBot
Allow: /

User-agent: Claude-Web
Allow: /

User-agent: Google-Extended
Allow: /

# Crawl-rate guidance
# Add Crawl-delay under a User-agent block when the site needs gentler
crawler pacing.
User-agent: *
Crawl-delay: 10
```

## schema.json

### JSON

```
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://trytau.app/#organization",
      "name": "Tau - Screen & Camera Timelapse Recorder for Mac & Windows",
      "description": "Record your screen, camera, or both at once - then edit and
export stunning timelapses on macOS and Windows. Smart overlays,
multi-source recording, and one-click export.",
      "url": "https://trytau.app/",
      "logo": "https://trytau.app/tau-assets/tau-logo.png",
      "sameAs": [
        "https://www.twitter.com/_dngi"
      ]
    },
    {
      "@type": "WebSite",
      "@id": "https://trytau.app/#website",
      "name": "Tau - Screen & Camera Timelapse Recorder for Mac & Windows",
      "description": "Record your screen, camera, or both at once - then edit and
export stunning timelapses on macOS and Windows. Smart overlays,
multi-source recording, and one-click export.",
      "url": "https://trytau.app/",
      "publisher": {
        "@id": "https://trytau.app/#organization"
      }
    }
  ]
}
```

Continued in the full scan report...

## Content-Signal

TXT

# Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

## Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

## HTTP response header

```
``http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
````
```

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

## HTML meta tag alternatives

Add these inside the document '<head>' when server headers are not  
Continued in the full scan report...

## Full report

[https://www.llmscan.dev/scan/yTv5iPdbgyjFyDciUY-\\_Y](https://www.llmscan.dev/scan/yTv5iPdbgyjFyDciUY-_Y)