

OVERALL SCORE

80 /100

AI-Readable

Executive summary

This site is mostly readable by AI tools, with a few improvements still recommended. Key strengths include AI guidance file and plain-text page access, while homepage access and crawler policy need attention. Recommended next step: review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.

Recommended next step

- 1. Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.
- 2. Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.
- 3. Shorten the meta description to 160 characters or fewer. Add missing semantic elements: article, nav.

Signal breakdown

Crawlability Review AI crawler Disallow rules and keep only the paths that should be excluded from AI crawler access; serve a non-empty HTML homepage with a canonical link tag.	Warn 10/20
Robots.txt Fix robots.txt syntax issues so each rule uses Field: value format, directives appear under a User-agent, and Sitemap entries use absolute URLs.	Warn 7.5/15
llms.txt The llms.txt file was found and includes the expected text, length, heading, and URL signals.	Pass 15/15

Sitemap	Pass	10/10
The sitemap.xml file is valid and contains URL entries.		
Markdown support	Pass	15/15
The homepage returns markdown content when requested with Accept: text/markdown, giving AI systems a cleaner text representation with less navigation chrome to parse.		
Semantic HTML	Warn	7.1/10
Shorten the meta description to 160 characters or fewer. Add missing semantic elements: article, nav.		
Structured data	Pass	10/10
Valid JSON-LD structured data was found with core Organization or WebSite schema.org types.		
Content signals	Pass	5/5
Consider adding Content-Signal HTTP header, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.		

Suggested fixes

```
llms.txt
MARKDOWN
# Snagr - Abandoned checkout recovery for Polar.sh

> Polar tells you a checkout was abandoned. Snagr does something about it -
automatic recovery emails for abandoned checkouts, failed renewals and
cancellations. Free to start, $19/mo flat, 0% of your revenue.

This llms.txt file summarizes the public, canonical resources that AI
assistants and crawlers should use to understand this site.

## Site Overview

- Canonical URL: https://www.snagr.sh/
- Site type: organization
- Recommended summary: Polar tells you a checkout was abandoned. Snagr does
something about it - automatic recovery emails for abandoned checkouts,
failed renewals and cancellations. Free to start, $19/mo flat, 0% of your
revenue.

## Core URLs

- [Homepage](https://www.snagr.sh/): Primary public entry point and
canonical site overview.
- [Pricing](https://www.snagr.sh/pricing): Pricing, plans, and packaging
information.
- [Demo](https://www.snagr.sh/demo): Important public page discovered from
the homepage navigation.
CONTINUED IN THE FULL Scan report...
```

robots.txt additions

TXT

```
# robots.txt additions
# Copy these blocks into the existing robots.txt file. Keep current rules
unless a note calls out a conflicting Disallow.
```

```
# AI crawler access
# Add explicit Allow rules for blocked AI crawlers; remove or narrow
conflicting Disallow rules if your crawler target requires precedence.
```

```
User-agent: GPTBot
```

```
Allow: /
```

```
User-agent: ChatGPT-User
```

```
Allow: /
```

```
User-agent: ClaudeBot
```

```
Allow: /
```

```
User-agent: Claude-Web
```

```
Allow: /
```

```
User-agent: PerplexityBot
```

```
Allow: /
```

```
User-agent: Google-Extended
```

```
Allow: /
```

```
# Crawl-rate guidance
Continued in the full scan report...
```

schema.json

JSON

```
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://www.snagr.sh/#organization",
      "name": "Snagr - Abandoned checkout recovery for Polar.sh",
      "description": "Polar tells you a checkout was abandoned. Snagr does
something about it - automatic recovery emails for abandoned checkouts,
failed renewals and cancellations. Free to start, $19/mo flat, 0% of your
revenue.",
      "url": "https://www.snagr.sh/",
      "logo": "https://www.snagr.sh/apple-icon.png?apple-icon.00no5orh2dmzp.png"
    },
    {
      "@type": "WebSite",
      "@id": "https://www.snagr.sh/#website",
      "name": "Snagr - Abandoned checkout recovery for Polar.sh",
      "description": "Polar tells you a checkout was abandoned. Snagr does
something about it - automatic recovery emails for abandoned checkouts,
failed renewals and cancellations. Free to start, $19/mo flat, 0% of your
revenue.",
      "url": "https://www.snagr.sh/",
      "publisher": {
        "@id": "https://www.snagr.sh/#organization"
      }
    }
  ]
}
Continued in the full scan report...
```

Content-Signal

TXT

Content-Signal recommendations

Use these directives to make AI-use preferences explicit for compliant crawlers and AI systems. They are advisory signals, so keep them aligned with robots.txt, terms, and access controls.

Recommended values

- ai-train=no: AI model training, fine-tuning, and dataset creation.
- search=yes: AI search indexing, snippets, and discovery.
- ai-input=yes: AI answer grounding, retrieval, and generated-response context.

HTTP response header

```
'''http
Content-Signal: ai-train=no, search=yes, ai-input=yes
Content-Usage: train-ai=n
'''
```

Best for site-wide or route-specific policies because the signal travels with every response, including pages that AI systems fetch directly.

HTML meta tag alternatives

Add these inside the document '`<head>`' when server headers are not

continued in the full scan report...

Full report

<https://llmscan.dev/scan/zACO0Y4y7vZDvHOjh8UUv>