

# LLM Scan

PUBLIC AI VISIBILITY REPORT

# fisc.ai.heberking.com

Scanned Jul 1, 2026, 11:01 UTC

OVERALL SCORE

# 14 /100

Poor

## Executive summary

This site is difficult for AI tools to read right now. Key strengths include content signals, while homepage access and crawler policy need attention. Recommended next step: remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

## Recommended next step

1. Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.
2. Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.
3. Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

## Signal breakdown

### Crawlability

Fail 0/20

Remove AI crawler Disallow: / rules or replace them with narrower path-level restrictions for private content only.

### Robots.txt

Fail 0/15

Remove AI crawler Disallow: / rules or add narrower Allow/Disallow rules if AI crawlers should be able to discover public content.

### llms.txt

Fail 0/15

Publish /llms.txt as text or markdown with more than 200 characters, markdown headings, and at least one absolute URL.

## Sitemap

Fail 0/10

Publish a valid XML sitemap at /sitemap.xml and reference it from robots.txt so crawlers and AI systems can discover important URLs.

## Markdown support

Fail 0/15

Add content negotiation for Accept: text/markdown on the homepage and return a markdown representation with Content-Type: text/markdown. Keep the HTML response for regular browser requests.

## Semantic HTML

Warn 8.6/10

Add missing semantic elements: main, article.

## Structured data

Fail 0/10

Add JSON-LD structured data with Organization or WebSite schema so AI systems can identify the site owner or website entity.

## Content signals

Pass 5/5

Consider adding Content-Signal HTTP header, AI-specific head meta tags, robots noai/noimageai directive so AI systems can consistently discover content usage preferences across robots.txt, HTTP headers, and HTML metadata.

## Suggested fixes

### Fix Structured data

#### HTML

```
<script type="application/ld+json">
{
"@context": "https://schema.org",
"@graph": [
{
"@type": "Organization",
"@id": "https://fiscai.heberking.com/#organization",
"name": "FiscAI - Optimisez votre fiscalite",
"description": "Decouvrez toutes les optimisations fiscales disponibles pour
votre situation grace a l'intelligence artificielle.",
"url": "https://fiscai.heberking.com/",
"logo": "https://fiscai.heberking.com/apple-touch-icon.png"
},
{
"@type": "WebSite",
"@id": "https://fiscai.heberking.com/#website",
"name": "FiscAI - Optimisez votre fiscalite",
"description": "Decouvrez toutes les optimisations fiscales disponibles pour
votre situation grace a l'intelligence artificielle.",
"url": "https://fiscai.heberking.com/",
"publisher": {
"@id": "https://fiscai.heberking.com/#organization"
},
"inLanguage": "fr"
}
]
}
Continued in the full scan report...
```

## Full report

[https://www.llmscan.dev/scan/3z\\_t8PQbQq0omO9FP9fKf](https://www.llmscan.dev/scan/3z_t8PQbQq0omO9FP9fKf)